


In Painful & Frequent Urination Problems



For
Patients requiring



**HIGH SPEED
RELIEF**

in symptomatic

BPH

Rx **Silosafe**

Silodosin 8mg

TABLET



Speedy Onset, Speedy Relief



Rapid Onset of Action

Increase in QOL within 2-6 hours of first dose



Impact on Nocturia

Only α blocker with significant impact on nocturia



Cardiovascular Safety

Low risk of orthostatic hypotension even in patients on anti-hypertensive medication



Medical Expulsive Therapy

80% expulsion rate for ureteral stones 6-10mm in size

For Swift & Sustained Relief in LUTS of BPH with Prostate size > 30cc

Relieves **Symptoms...**
Prevents **Progression**



Powered with TIC Technology

Avoid Missing Dose

SILODOSIN

DUTASTERIDE



BETTER PATIENT COMPLIANCE

Rx **Silosafe-D**
Silodosin 8mg + Dutasteride 0.5mg **TABLET**

ADVANCED COMBINATION



- Safe and effective combination in BPH patients
- Improves lower urinary tract functions for 2 years in patient with LUTS/BPH regardless of prostate size

ADVANCED RESPONSE



- Faster disintegration: Significant improvement in IPSS as early as 3-4 days

ADVANCED RESPONSE



- Safe for patients on Antihypertensive medication

Indicated in :

Benign Prostate Hyperplasia

Enlarged Prostate

Higher Urinary Frequency


Incomplete Bladder Emptying

In Patients with severe LUTS & Prostate Size > 30cc



AUA, EAU & NICE Guidelines Recommend

Combination first line therapy with a 5ARI and an α -blocker for men with moderate to severe BPH symptoms at risk of progression



Rx **Tamsafe-D**

Tamsulosin HCL Modified Release 0.4mg +
Dutasteride 0.5mg

TABLET

For Lasting
BPH Symptom relief
from the Start



- Provides symptom improvement as rapid as tamsulosin monotherapy
- Offers superior symptom improvement compared to tamsulosin from month 9 to 48
- Sustained symptom improvement over 4 years
- 3 times less AUR and BPH related surgery vs tamsulosin at 4 years

In Patients with **LUTS** due to **BPH**

Execution to
PERFECTION




Rx **Tamsafe 0.4**
Tamsulosin 0.4mg **TABLET**

Removes
obstruction
SAFELY




- Recommended by AUA & EAU as a viable option for stone expulsion
- 100% expulsion rate for ureteral stones < 6mm in size
- Most prescribed Alpha 1 Blocker in India
- No clinical significant adverse effect, safe & effective treatment

For Ureteral Stone expulsion associated with Pain, Inflammation & Edema



URETERAL STONES

can be complicated to expell
due to **Pain, Inflammation & Edema**



A+ Therapy
in Stone Expulsion

Rx Tamsafe-Plus

Tamsulosin 0.4mg + Deflazacort 30mg

TABLET

Tamsulosin



- Reduces episodes of colic
- Recommended by AUA & EAU as a viable option for stone expulsion

Deflazacort



- Reduces pain & edema associated with inflammation

Combined Action

- Significantly higher stone expulsion rate and shorter expulsion time
- Reduced need for analgesia

For Sexually Active  BPH Patients...

Rx **ALFUJUN** 

Alfuzosin HCL (Prolonged Release) 10mg


TABLET

Improves
Quality of Life
in Young
BPH Patients



- Significantly reduces nocturia subcore and improves the quality of life
- Lower rate of vasodilatory & cardiovascular side effects as compared to others in its class
- Associated with lesser Retrograde Ejaculation, hence minimum sexual side effect
- Suitable for patient planning for cataract surgery

In Calcium Oxalate Stones



**Calcium Oxalate Urolithiasis
Comprises
50-80%
of all Renal Calculi**

Rx **ALKABERYTM-B6**

Potassium Citrate 1100mg + Magnesium Citrate 375mg +
Vitamin B6 20mg / 5ml **SYRUP**

- Declines stone recurrence rate from 3.23 to 0.35/patients/year
- Takes care of both the source of Oxalate
- Vitamin B6 reduces exogenous oxalate by 85%
- Potassium and Magnesium Citrate reduce exogenous oxalate by 15%



**Sugar Free
Solution**

Safe for diabetic patients with
low glycemic index <55



**No Sodium
Content**


Safe for Cardiac Patients

In Recurrent UTI & Burning Urination




According to EAU Guidelines 2015

Antimicrobial prophylaxis for prevention of RUTI should be considered only after when non-antimicrobial measures have been unsuccessful



Rx **ALKABERY**™
SYRUP
100 ml 200 ml

Potassium Magnesium Citrate 978mg + D-Mannose 300mg +
Cranberry Extract 200mg per 15 ml **SYRUP**



The **NON Antimicrobial**
for the prevention of **RUTI**
& **Burning Urination**



Prevents recurrent UTIs and improves QOL

- Maintains healthy pH balance and reduces the frequency of recurring bladder & urinary tract infection
- Synergistic combination delivers safe & effective relief without the side effects of antibiotics



In Kidney Stones

- Prophylaxis was effective in reducing the recurrence of calcium oxalate and phosphate urolithiasis
- Equally effective as potassium chloride correcting thiazide induced Hypokalemia



“ Recommended as **1st line antibiotic** for the treatment of acute uncomplicated cystitis & pyelonephritis in **women** by ”



Rx Nifton SR

Nitrofurantoin 100mg SR **TABLETS**


- 1 Superior to Quinolones with Low Resistance**
- 2 Retained good activity even in 2025**



The antimicrobial susceptibility pattern of Ampicillin for E.Coli

High Sensitivity to Nitrofurantoin **94.4%**
High Sensitivity to Ampicillin **94.4%**

- 3 Shows lower propensity to Bacterial Resistance**




- Uncomplicated & Recurrent UTIs**
- Prevention of Catheter Induced Infections**
- Sterilization of Urine before TURP**

In prophylaxis of Recurrent Urinary Tract Infections



According to EAU Guidelines 2015

Antimicrobial prophylaxis for prevention of RUTI should be considered only after when non-antimicrobial measures have been unsuccessful



Rx **UTCure** **TABLET**

Cranberry Extract 300mg + D-Mannose 600mg + Hibiscus Extract 100mg

- Prevents binding of E.coli to urinary tract and offers 90% reduction in recurrent UTI
- Washes out bacteria from urinary tract and prevents recurrence for upto 2 years
- Synergistic combination delivers safe & effective relief without the side effects of antibiotics
- Provides robust mix of antioxidant support and supports overall intestinal and immune health

Indicated in :

Urinary Tract Infection

UTIs during Pregnancy

Bacteriuria

Kidney Stones, Renal Calculi



In prophylaxis of Recurrent Urinary Tract Infections



**Balanced
Flora** leads to
Happy *life*

Rx **UTCure** **PRO**
SACHET

Lactobacillus Reuteri 2.5 Billion CFU,
Lactobacillus Rhamnosus 2.5 Billion CFU,
Hibiscus Extract 100mg, Cranberry Extract 300mg,
D-Mannose 600mg/2mg

Fortified bacteriotherapy,
Favourable outcomes



- Promotes healthy yeast balance and recommended as long term therapy for pregnant women and those susceptible to BV & UTI
- 90% improvement of bacterial vaginosis
- Strengthens immunity and reduces recurrent infection
- Increases lactobacilli count & resist adhesion of pathogen within ideal pH of 3.8-4.5

Indicated in :

Bacterial Vaginosis

Chlamydia

Vaginal Candidiasis

Gonorrhoea

Non-Infectious Vaginitis

In Dysuria, Nocturia, Incontinence Spasm




FLAVOJUN

Flavoxate Hydrochloride 200mg **TABLET**



Fixes the problem of **FREQUENT URINATION**

- Specifically indicated for urological disorders with specific action on bladder and offers quickest onset of action
- Relaxes smooth muscles, reduces hesitancy, dribbling and retention in benign prostate hypertrophy
- Reduces frequency of micturition, urgency, dysuria and nocturia



Significant Improvement
in different lower urinary tract symptoms

Best Support during... Journey of Pregnancy



FEJUN

TABLET

Ferrous Ascorbate 100mg + Folic Acid 1.5mg +
Cyanocobalamin + Zinc Sulphate 22.5mg

- Support Fetal growth & maternal health
- Highest bio availability ensures faster Hb rise
- Prevents megaloblastic anaemia in pregnancy
- Vital for the production & repair of DNA in foetus
- Prevents neural tube defects
- Promotes bone mineral density



Indicated in :

Pregnancy

Iron Deficiency Anemia

Menarche to Menopause

Lactation

Convalescence

Chronic Blood Loss

Menorrhagia

Rapid Foetus Growth

Big protection from variety of Skin INFECTIONS

MUPIJUN

Mupirocin 2.0%

Ointment

- Used as a topical treatment for bacterial skin infections, for example, furuncle, impetigo, open wounds etc.
- Also useful in the treatment of superficial methicillin-resistant Staphylococcus Aureus (MRSA) infections
- Monotherapy with mupirocin 2% should be considered as a primary treatment alternative for pitted keratolysis
- Significantly superior to fusidic acid cream against pyogenes

*A Novel
Approach
to treat
Impetigo*

Indicated in :

- Furunculosis • Infected Eczema
- Impetigo • Folliculitis • Minor Burns
- Severe Ecthyma
- Carbuncles • Atopic Dermatitis



In Bacterial Infections, Leverage Long Reach with..



According to EAU Guidelines 2019

Strong Evidence Recommendation
in the treatment of **UTI & Acute Pyelonephritis**



Indicated in :

Community Acquired Pneumonia



Acute Exacerbation of Chronic Bronchitis

Complicated / Uncomplicated UTI

Skin & Skin Tissue Infections

Rx **LEVOTRIP** ⁵⁰⁰ ⁷⁵⁰
Levofloxacin 500 / 750 mg **TABLET**

- 1st choice in enteric infection treatment due to its 100% susceptibility and success rate
- Most bactericidal quinolone compared to Ofloxacin, Ciprofloxacin and Sparfloxacin
- Improved activity against a variety of pathogens including S. Pneumoniae



A Complete **Calcium** Supplement

Fulfill daily 
CALCIUM requirements
of mother & the foetus



Rx

MGCAL-D3

Calcium Aspartate 1120mg +
Magnesium 180mg +
Vitamin D3 2000 IU (100%)

TABLET

- Highest bioavailable calcium having upto 95% and 3 to 6 times more bioavailable calcium than conventional salts
- Associated with No Food interactions, No risk of diarrhoea and constipation
- Reduces the incidence of leg cramps, pre-eclampsia and gestational diabetes

Indicated in :

Pregnancy / Lactation

Osteoporosis / Osteomalacia

Postmenopausal Osteoporosis

Drug Induced Osteoporosis

In **Painful Spasm** get High speed relief



When **SPASM PAIN** twists you patient's



DAILY ROUTINE

℞ **TRUVERIN-A**

Drotaverine 80mg + Aceclofenac 100mg

TABLET

Drotaverine

- Well established Anti-Spasmodic
- Free from Anti-Cholinergic side effects
- Quick onset of action within 5 minutes

Aceclofenac

- Potent Analgesic + Anti Inflammatory
- Better GI tolerability
- Sustained action for 12-16 hours

Indicated in :

Renal Colic

Ureteral Colic

Dysmenorrhoea

Muscle Spasm

Pre & Post Operative Spasm

For Speedy Recovery from Spasmodic Pain

Brings
Life
Back in
Action



Rx **TRUVERIN-M**

Drotaverine 80mg + Mefanamic Acid 250mg

TABLET

Drotaverine

- Well established Anti-Spasmodic
- Free from Anti-Cholinergic side effects
- Quick onset of action within 5 minutes

Mefanamic Acid

- Potent Analgesic + Anti Inflammatory
- Reduces uterine contraction by more than 60%
- Prompt relief from painful contraction



Indicated in :

Renal Colic

Biliary Colic

Dysmenorrhea

Post Surgical Uterine Spasm

Gastrointestinal Colic

Extend Energy of CoQ10 with Power of Omega 3

Rx **FERTICO-Q10**[®] **TABLET**

Co-enzyme Q10 100mg + Lycopene 5000mcg + Selenium 40mcg +
L-Arginine 100mg + Vitamin E 50mg + Zinc 17mg + L-Carnitine 150mg +
Cyanocobalamin 2.5mcg + Omega 3 Fatty Acid 150mg +
Ascorbic Acid 50mg + Astaxanthin 8mg

Restores
**Immunity &
Potency
Naturally**



Co-enzyme Q10



- Useful antioxidant effect and role in energy metabolism & Improves sperm quality
- Boosts energy, enhances the immune system and acts as an antioxidant

L-Arginine + L-Carnitine

- Improves vitality, helps in preventing heart problems
- Slow down the ageing process
- Improves ovarian response & pregnancy rate in poor responders



Omega 3 Fatty Acid



- Improves heart health and reduces risk of coronary heart disease
- Aids in vision and brain development
- Increases good cholesterol in diabetes